
## 1-800-558-28 mperial

# 1-800-558-2808 NATIONAL DISTRIBUTOR OF QUALITY MAINTENANCE SUPPLIES SINCE 1958

e-mail: websupport@imperialsupplies.com

Home > Products > MSDS Sheets > MSDS 7605 - [Back] WELCOME -Please Login

Sheets > MSDS 7605 — [Back]



Scarch Our Catalog

zatalog 7605: AIR TOOL OIL QUART
MSDS Last updated: 02/17/2003

MATERIAL SAFETY DATA SHEET

GD Advanced Search

Grade 8's Grade 5's

Entire Catalog

Threaded Fasteners

Hardware

Rivets & Guns Truck Lighting

Electrical Supplies

Tubing & Fittings

Air Brake Products

Hose & Ends

Cutting Tools
Abrasives

Safety & Welding

Chemicals

Tools

Parts & Accessories

Assortment Listing

Assortment Listing

Check Order Status
Shipping Info
Contact Us
Product FAQs
Imperial Services
Career Opportunities
Site Map

<u>SPrinter Format</u>

<u>Bookmark this Page</u>

June 20,2002

1. PRODUCT AND COMPANY IDENTIFICATION

EMERGENCY TELEPHONE NUMBERS

PRODUCT NAME
PRODUCT CODE
CHEMICAL FAMILY
CHEMICAL NAME

FORMULA

Marcel Air Tool Oil
MM080, MM085, MM086, MM088R, MM089 MM
Petroleum Distillates
Complex Mixture of Hydrocarbons

Complex Mixture of Hydrocarbons
Mixture

MANUFACTURER

Marvel Oil Company, Inc. 5655 W. 73rd Street

Chicago, IL 60638

Phone: 708-563-3766 Fax: 708-563-3715 Transportation:

CHEMTREC; 800-424-9300

Medical:

ROCKY MTN POISON CTR: 800-332-30

2. POSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	CONCENTRATION (wt
Naphthenic Hydrocarbons	64742-52-5	70 - 80
Mineral Spirits	08052-41-3	20 - 30
Chlorinated Hydrocarbons	00095-50-1	0 - 1

EXPOSURE LIMITS 8 hrs. TWA (ppm)

Naphthenic Hydrocarbons 5 as oil mi Mineral Spirits 100 100 Chlorinated Hydrocarbons 25

HAZARDS IDENTIFICATION.

POTENTIAL HEALTH EFFECTS

INHALATION; Can cause nasal and respiratory irritation, dizziness, weaknfatique, nausea, headache, possible unconsciousness and even asphyxiation

INGESTION; Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

MSDS Sheet 7605 Page 2 of 6

SKIN CONTACT; Prolonged or repeated contact can cause moderated irritation defatting or dermatitis.

EYE CONTACT; Can cause severe irritation, redness, tearing or blurred vi

#### 4. FIRST AID MEASURES

EYE; Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

SKIN; Thoroughly wash exposed area with soap and water. Remove contaminaclothing. Launder before re-use.

INHALATION; Remove person to fresh air. If breathing is difficult, admin oxygen. If breathing has stopped, give artificial respiration. Keep person and quiet. Call a physician.

INGESTION; Do not induce vomiting. Keep person quiet and warm. Get medicattention. Aspiration of material into lungs can cause chemical pneumonit which can be fatal.

#### 5. FIRE FIGHTING MEASURES

FLASH POINT; 128° F (53° C) TCC

EXTINGUISHING MEDIA; Carbon dioxide, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES; Wear self-contained breathing apparatu full facepiece operated with positive pressure-demand when fighting large

#### 6. ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES; Ventilate area. Remove sources of ignition. Prentry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

### 7. HANDLING AND STORAGE

STORAGE TEMPERATURE (MIN./MAX.): -40°F (-40°C) / 120°F (49 C)

SHELF LIFE; 3 years minimum when the original container is kept tightly and properly stored.

SPECIAL SENSITIVITY; None

HANDLING AND STORAGE PRECAUTIONS; Empty containers may be dangerous sincmay still exist. Observe precautions given for this product as stated in document.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS; Splash goggles.

SKIN PROTECTION REQUIREMENTS; Wear chemically resistant gloves.

RESPIRATOR/VENTILATION REQUIREMENTS; Provide sufficient ventilation to a

exposure levels above the established TLV's.

EXPOSURE LIMITS; Not established for product as whole.

Mineral Spirits

NIOSH

100 ppm TWA

Oil Mist

OSHA

5 mg/m3

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:

Thin liquid

COLOR

Red

ODOR; BOILING POINT; Wintergreen

Not determined

MELT / FREEZE POINT: - 60° f ( -51° C )

SOLUBILITY IN WATER; Insoluble

SPECIFIC GRAVITY;

% VOLATILE BY WEIGHT; 25%

0.876 @ 60° F (15.6° C)

VAPOR PRESSURE;

Not determined

VAPOR DENSITY;

Not determined

10.

REACTIVITY

Not applicable

STABILITY; Stable

HAZARDOUS POLYMERIZATION; Will not occur.

INCOMPATIBILITIES; Strong oxidizing agents.

DECOMPOSITION PRODUCTS; Carbon monoxide, carbon dioxide and hydrocarbons

#### 11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION; Aspiration into lungs can cause pneumonitis which can : fatal.

CHRONIC INHALATION; Not determined

ACUTE SKIN CONTACT; Prolonged or repeated contact can cause moderate irritation, defatting or dermatitis.

CHRONIC SKIN CONTACT; Not determined.

ACUTE EYE CONTACT; Can cause severe irritation, redness, tearing or blur vision.

### 12. ECOLOGICAL INFORMATION

No data available.

#### 13. DISPOSAL CONSIDERATIONS

Ignitable hazardous waste, EPA Hazardous Waste Number D001

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, .

MSDS Sheet 7605 Page 4 of 6

and federal laws and regulations.

14. TRANSPORT INFORMATION

DOT INFORMATION;

PROPER SHIPPING NAME; Non Bulk Not regulated

Bulk

TECHNICAL SHIPPING NAME; Fuel and oil additive

HAZARD CLASS; Non Bulk ORM-D

Bulk Clas

UN NUMBER; UN 1268

PRODUCT RQ (lbs): None

LABEL; Non Bulk ORM-D

Bulk F1

PLACARD: Non Bulk None

Bulk F3

FREIGHT CLASS BULK; PG 111

FREIGHT CLASS PACKAGE; None

PRODUCT LABEL None

15. REGULATORY INFORMATION

TSCA STATUS; All ingredients listed.

CERCLA REPORTABLE QUANTITY; None

SARA TITLE 111;

SECTION 302 EXTREMELY
HAZARDOUS SUBSTANCES None

SECTION 311/312 HAZARDOUS CATEGORIES

Acute Health Yes
Chronic Health Yes
Fire Yes

Reactive

Sudden Release of Pressure No

SECTION 313

CHEMICAL NAME CAS NUMBER CONCENTRATION Ortho-dichlorobenzene 00095-50-1 0-0.25 %

RCRA STATUS; If discarded in its purchased form, this product would be a ignitable waste with an EPA Hazardous Waste Number of D001. However, unde it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified hazardous waste. (40CFR261.20-24)

CANADIAN STATUS; All materials contained in this product are listed on the Canadian Domestic Substances List.

No

EUROPEAN UNION; All materials contained in this product are listed on EII

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; oth product specific health and safety data in other sections of the MSDS  $_{\rm max}$  be applicable for state requirements.

For details on your regulatory requirements you should contact the approp agency in your state.

COMPONENT/

CAS NUMBER CONCENTRATION S

STATE CODE

p-dichlorobenzene

less than 150 ppm

CA

00106-46-7

 ${\tt CA}$  = Material known to the state of California to cause cancer and/or birdefects. (California Proposition 65).

#### 16. OTHER INFORMATION

HMIS CLASSIFICATION Health 2

Flammability 2 Reactivity C

NFPA RATING Health

PPI 2
Fire 2

Fire 2
Reactivity C
Special N

REASON FOR ISSUE

Update to ANSI format

PREPARED BY

Richard P. Kelly

TITLE

Technical Manager

APPROVAL DATE

June 21, 2002

SUPERCEDES DATE

November 7, 2000

REVISION NUMBER

#04

This information is to the best of Marvel Oil company's knowledge and bel accurate and reliable. However, no representation, warranty, or guarantee made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitableness and completeness such information for his own particular use.

The information contained in this MSDS was obtained from current and reliwithout any warrenty, expressed or implied, regarding its correctness or acstorage and disposal of this product are beyond the control of Imperial Suploss, injury, or expense arising out of the products improper use. No warrar product described in this MSDS shall be created or inferred by any stateme agencies may have specific regulations regarding the transportation, handle which may not be covered by this MSDS. The user is responsible for full co

For more product information by email,

## Imperial Supplies LLC does not provide services and prod

Home | Site Search | Company Info | Catalog | New Products | Programs
Your Account | Career Opportunities | Info Request | Downloads | Privacy Policy | Links | Site Map

Copyright © Imperial, 2001 Questions or comments on these pages? Contact us.